


itama

2018 / 04



RING
collection




A dark, moody photograph of a boat's interior, possibly a cabin or deck area. The lighting is very low, creating deep shadows and highlighting the textures of the boat's structure. In the lower-left corner, a portion of a boat's interior is visible, showing what appears to be a seat or a small compartment. The overall atmosphere is mysterious and dramatic.

RING
COME
TRUE

RING collection

[En] → **A continuous circle of light.** The upper and lower diffusers in PMMA are completely without any fixing elements which allows the light emission to be perfectly continuous.

This is possible thanks to an innovative construction of the section of the lamp which unites the two sides through an internal metal bracket. The same bracket supports the light source which is integrated in a silicone body allowing the light emission to be completely uniform. The lamp has a double light emission.



Un cerchio continuo di luce

[It] → I diffusori, inferiore e superiore, sono in PMMA opalino. Il flusso luminoso continuo è ottenuto grazie all'assenza di elementi di fissaggio e ad una costruzione innovativa del profilo della lampada che unisce le due pareti in metallo attraverso una staffa anch'essa in metallo. La stessa staffa, poi, sostiene la sorgente luminosa che è inserita in un involucro di silicone. In tal modo si elimina la puntinatura dello strip LED e si ottiene una luce perfettamente uniforme. La lampada ha emissione luminosa sia verso l'alto che verso il basso.






RING

RINS080BC
suspension

dimensions
Ø 80 x H 5 cm

color
white RAL 9010







RING

RINS080BR / RINS0120BR

suspensions


dimensions

Ø 80 x H 5 cm

Ø 120 x H 5 cm

color

brushed bronze



RING

RINS080BR / RINS0120BR

suspensions

dimensions

Ø 80 x H 5 cm

Ø 120 x H 5 cm

color

brushed bronze



RING

RINS0800R / RINS01200R

suspensions

dimensions

Ø 80 x H 5 cm

Ø 120 x H 5 cm

color


brushed gold

[En] → **BI-emission lighting.**

The constructive principle of the lamp allows a double light emission. This detail makes the product capable of illuminating the surrounding space with a 360 degrees light. The upper and lower light emission are equal both for what concerns quantity and colour giving a completely homogeneous effect.

BI-emissione luminosa



[It] → Il principio costruttivo delle lampade rende possibile una doppia emissione luminosa: in tal modo l'ambiente circostante viene illuminato a 360 gradi. Inoltre, la luce orientata verso l'alto e verso il basso è uguale sia per quantità che per colore al fine di rendere il flusso di luce completamente omogeneo.



- 01 Metal profile 01.**
Profilo 01 in metallo.
- 02 Metal profile 02.**
Profilo 02 in metallo.
- 03 Upper white PMMA diffuser.**
Diffusore superiore in PMMA bianco.
- 04 Light source - Strip LED.
Light emission UP.**
Sorgente luminosa - Strip LED.
Emissione luminosa verso l'alto.
- 05 Light source - Strip LED.
Light emission DOWN.**
Sorgente luminosa - Strip LED.
Emissione luminosa verso il basso.
- 06 Mechanical fixing
of the metal bracket.**
Fissaggio meccanico
della staffa in metallo.
- 07 Metal bracket: Strip LED support
/ union of profile 01 & 02.**
Staffa in metallo: supporto strip
LED / unione profilo 01 & profilo 02.
- 08 Lower white PMMA diffuser.**
Diffusore inferiore in PMMA bianco.

RINSO80BC (white) **1.197,00 €**
RINSO80BR (brushed bronze) **1.520,00 €**
RINSO80OR (brushed gold) **1.520,00 €**

RINSO120BC (white) **1.480,00 €**
RINSO120BR (brushed bronze) **1.930,00 €**
RINSO120OR (brushed gold) **1.930,00 €**



N.B.
all prices exclude VAT
tutti i prezzi sono IVA esclusi

material

metal and PMMA
 metallo e PMMA

light source

LED 220-240V

120V for
 NORTH AMERICA

equipment

RING 80

lm 2000 UP lm 2000 DOWN

RING 120

lm 3250 UP lm 3250 DOWN

symbols



colors



white / bianco
 RAL 9010




brushed bronze /
 bronzo spazzolato



brushed gold /
 oro spazzolato

energy label



itama by
LIGHT4

LIGHT4 srl viale dell'industria, 2A - 31055 quinto di treviso (tv) - italia
t. +39 0422 378122 - t. +39 0422 475009 - f +39 0422 370409
www.itamaluce.com - www.light4.it - info@light4.it

www.light4.it

